

CLAIMS:

1. A look up engine comprising a storage means for
5 storing a plurality of entries, each entry
 comprising a value and an associated key value,
 such that, in operation, a look up is carried out
 by outputting a value which is associated with the
 stored key value which matches an input key value,
10 the look up engine comprising a plurality of look
 up state machines connected in parallel to enable
 multiple look ups to be carried out concurrently.
2. A look up engine according to claim 1, wherein the
15 entries are stored in a trie structure.
3. A look up engine according to claim 2, wherein the
 trie structure is a PATRICIA trie structure.
- 20 4. A look up engine according to claim 1 further
 comprising an input buffer and an output buffer.
5. A look up engine according to claim 4, wherein the
 look up engine further comprises a distributor for
25 distributing the input key values between the
 plurality of look up state machines.
- 30 6. A look up engine according to claim 5, wherein the
 look up engine further comprises a collector for
 collecting the outputs from the plurality of look
 up state machines for outputting the lookup value.
7. A look up engine according to claim 1, wherein the
 length of the key values and the values is fixed.

8. A look up engine according to any one of claims 1, wherein the length of the key value and the values is variable.

5 9. A look up engine according to claim 1, wherein the look up engine further comprises a tagging mechanism in which each key value has a tag associated therewith such that the output values can be ordered in accordance with the order of receipt of the input key value.

10 10. A look up engine according to claim 1, wherein the look up engine comprises means for storing the identity of a requestor requesting look up for each look up request such that the output value is sent to the correct location.

15 11. A look up engine according to claim 1, wherein at least one of the output values comprises an error message which is output to indicate a look up failure.

20 12. A look up engine according to claim 11, wherein the error message further comprising additional data including indication of the type of error.

25 13. A look up engine according to claim 12, wherein the additional data includes indication of the number of bits of the input key value which matched.

30 14. A look up engine according to claim 11, wherein each entry further comprises a skip value and each key value comprises a plurality of bits, and wherein the error message is sent if the skip

35

value mismatches the skipped bits of the input key value.

15. A look up engine according to claim 1, wherein the
5 storage means comprises internal and/or external
memory.

16. A look up engine according to claim 15, wherein
the storage means comprises a plurality of
10 independent, parallel memory banks, each memory
bank containing at least one table of the
plurality of entries.

17. A look up engine according to claim 16, wherein
15 the tables are mutually exclusive.

18. A look up engine according to claim 17, wherein
the input key value comprises a table identifier
for identifying which of the tables is required.
20

19. A look up engine according to claim 15, wherein
the look up state machines can be bypassed in
operation such that the storage means is utilised
as memory for a processing means.
25

20. A look up engine according to claim 19, wherein
the storage means is dynamically partitioned for
use as memory by the processing means and for
storing the plurality of entries.

30

21. A method for looking up a value, the method
comprising the steps of:
 (a) receiving a key value;
 (b) comparing the input key value with a
35 plurality of stored key values;

(c) outputting the value associated with the stored key value that matches the input key value, wherein steps (a), (b) and (c) are carried out concurrently.

5

22. A method for looking up a value, the method comprising the steps of:

- (a) receiving a key value; dividing the input key value into a plurality of predetermined portions;
- 10 (b) comparing each predetermined portion of the input key value with a plurality of stored key values;
- (c) outputting the value associated with the stored key value that matches the predetermined portion of the input key value;
- 15 (d) assembling each lookuded value to produce a final key value;
- (e) comparing the final key value with a plurality of stored key values; and
- 20 (f) outputting the value associated with the stored key value that matches the final key value, wherein steps (b) to (d) are carried out concurrently.
- 25

30

23. A computer system comprising a plurality of processing means interconnected via a bus system, the computer system further comprising a look up engine, the look up engine comprising a storage means for storing a plurality of entries, each entry comprising a value and an associated key value, such that, in operation, a look up is carried out by outputting a value which is

associated with the stored key value which matches an input key value, the look up engine comprising a plurality of look up state machines connected in parallel to enable multiple look ups to be carried out concurrently.

5

10

24. A computer system according to claim 23, wherein the look up engine is connected to the bus system via a plurality of parallel interface units, the interface units allowing concurrent update of the entries and look up.

15

25. A computer system according to claim 23, wherein multiple keys are submitted for look up in a single bus transaction.

20

25

26. A look up engine comprising at least one storage means for storing a plurality of entries, each entry comprises a key value, an associated value and a skip value, such that, in operation a look up is carried out by outputting a value which is associated with the stored key value which matches an input key value, the input key comprising a plurality of bits, if the skipped bits of the input key value and the associated skip value mismatches, an error message is output to indicate lookup failure.

30

27. A look up engine according to claim 26, wherein the error message further comprising additional data including indication of the type of error.

28. A look up engine according to claim 26, wherein multiple look ups are carried out concurrently..

35

29. A method for looking up a value, each value having a key value and a skip value associated therewith, the method comprising the steps of:

5 receiving a key value comprising a plurality of bits;

comparing the input key value with a plurality of stored key values;

10 comparing the skip value associated with the value corresponding to the input key value with the skipped bits of the input key value;

15 outputting the value associated with the stored key value that matches the input key value if the skip value matches the skipped bits of the input key value, and outputting an error message to indicate look up failure if the skip value does not match the skipped bits of the input key.

30. A method according to claim 29, wherein the output error message comprises additional data including an indication of the type of error.

20 31. A method according to claim 29, wherein multiple look ups are carried out concurrently.

25 32. A method of constructing a trie in a storage means, the trie comprising a plurality of entries, the method comprising the steps of:

identifying overlapping ranges between the plurality of entries;

30 splitting the identified overlapping ranges; storing the plurality of entries within a trie structure.

35 33. A method according to claim 32, wherein the depth of the trie is programmable.

34. A method according to claim 33, wherein the entries are arranged in a PATRICIA trie.

5 35. A method according to any one of claim 32, wherein, the method further comprises the step of:
providing each entry with a skip value such that, during the look up operation, the skip value associated with the value corresponding to the
10 input key value is compared with the skipped bits of the input key value;
outputting the value associated with the stored key value that matches the input key value if the skip value matches the skipped bits of the
15 input key value, and outputting an error message to indicate look up failure if the skip value does not match the skipped bits of the input key.

36. A look up engine constructed and updated in accordance with a method of constructing a trie in a storage means, the trie comprising a plurality of entries, the method comprising the steps of:
identifying overlapping ranges between the plurality of entries;
25 splitting the identified overlapping ranges;
storing the plurality of entries within a trie structure.